

**GEOGRAPHY 5241: SNOW AND ICE
FRESHWATER ICE**

- Ashton, G.D. 1980. Freshwater ice growth, motion and decay. In: Colbeck, S. (ed.) *Dynamics of Snow and Ice Masses*: 261-304.
- Adams, W.P. and Brunger, A.G. 1975. Variation in the quality and thickness of the winter ice cover of Knob Lake, Schefferville, Quebec. *Rev. Geogr. Montreal* 29: 335-346
- Assel, R.A. 1990. An ice-cover climatology for Lake Erie and Lake Superior for the winter seasons 1897-1898 to 1982-1983. *Int. J. Climatol.* 10: 731-48
- Assel, R.A. 1991. The implication of CO₂ global warming on Great Lakes ice cover. *Climatic Change* 18:377-95.
- Assel, R., Cronk, K., and Norton, D. 2003. Recent trends in Laurentian Great Lakes ice cover. *Clim. Change* 57: 204.
- Belore, H.S. 1990. Ice jam mitigation. *Canad. J. Civil Eng.* 17:675-85
- Billelo, M.A. 1968. Winter temperatures in a shallow lake during ice formation, growth, and decay. *Water Resources Res.* 4:749-60
- Blenckner, T. *et al.* 2004. Atmospheric circulation and its impact in ice phenology in Scandinavia. *Boreal Environ. Res.* 9: 371-80.
- Caine, N. 2002. Declining ice thickness on an alpine lake is generated by increased winter precipitation. *Clim. Change.* 54:463-70
- Carey, K.L. 1973. Icings developed from surface water and ground water. *CRREL Cold Regions. Sci. Eng. Monograph III D3*: 67 p.
- Hall, D.K. and Martinec, J. 1985. *Remote Sensing of Ice and Snow*. (Ch. 5 Lake and River Ice.) Chapman and Hall.
- Harden, D. *et al.*, 1977. Distribution and character of Naleds in northeastern Alaska. *Arctic* 30: 28-40.
- Hostetler, W.S. *et al.*, 1993. Interactive coupling of a lake thermal model with a regional climate model. *J. Geophys. Res.*, 98(D3): 5045-57.
- Liston, G.E. and Hall, D.K. 1995. Sensitivity of lake freeze up and break up to climate change: A physically based modeling study. *Ann. Glaciol.* 4:387-93.

- Liston, G.E. and Hall, D.K. 1995. An energy balance model of lake-ice evolution. *J Glaciol.* 41(138):373-82
- Livingstone, D.M. 2000. Large-scale climatic forcing detected in historical observations of lake ice break-up. *Verhandl. Internat. Verein. Limnol.* 27: 2775-83,
- Mackay, D.K. and Loken, O.H., 1976. Arctic hydrology. In: Ives, J.D. and Barry R.G. (eds.) *Arctic and Alpine Environments*, ch. 3A.
- Magnuson, J. et al. 2000. Historical trends in lake and river ice cover in the Northern Hemisphere. *Science.* 289(5485):1743-6.
- Maslanik, J. and Barry, R.G. 1987. Lake ice formation and breakup as an indicator of climate change: potential for monitoring using remote sensing techniques. In: *Influence of Climate Change and Climate Variability on the Hydrologic Regime and Water Resources. Internat. Assoc. Hydrol. Sci.*, no. 168: 153-161.
- Michel, B. 1971. Winter regime of rivers and lakes. *CRREL Cold Regions Sci. Eng. Monograph II B la*: 131 p.
- Osterkamp, T.E. and Gosink, J.D. 1983. Frazil ice formation and ice cover development in interior Alaska streams. *Cold Reg. Sci. Technol.*, 8:43-56.
- Robertson, D.M. et al., 1992. Lake ice records used to detect historical and future climatic changes. *Climatic Change* 21:407-27.
- Palecki, M.A. and Barry, R.G., 1986. Freeze-up and break-up of lakes as an index of temperature changes during the transition seasons: a case study for Finland. *J. Clim. Appl. Met.* 25: 893-902.
- Prowse, T.D. and Beltaos, S. 2002. Climatic control of river-ice hydrology: A review. *Hydrol. Processes* 16: 805-22.
- Shulyakovskii, L.G. et al., 1966. *Manual of Forecasting Ice-Formation for Rivers and Inland Lakes.* Israel Prog. Sci. Translation, Jerusalem: 245 p.
- Smith, L.C. 2000 Trends in Russian Arctic river-ice formation and breakup, 1917-1994. *Phys, Geog.*, 21: 46-56
- Stewart, K.M. and Haugen, R.K. 1990. Influence of lake morphometry on ice dates. *Verh. Internat. Verein. Limnol.* 24: 122-27.
- Vuglinsky, V. S. 2002. Peculiarities of ice events in Russian Arctic rivers. *Hydrol.Processes* 16:: 905-13.

- WDC-A for Glaciology 1980. *Great Lakes Ice. Glaciological Data Report GD-9.*
- Wharton, R.A. Jr. *et al.* 1992. Changes in ice cover thickness and lake level of Lake Hoare, Antarctica. *J. Geophys. Res.* 97(c3): 3503-13.
- Weeks, W.F. *et al.*, 1977. Interesting features of radar imagery of ice-covered North Slope lakes. *J. Glaciol.*, 18:129-36.
- Williams. G., Layman, K.L. and Stefan, H.G. 2004. Dependence of lake covers on climatic, geographic and bathymetric variables. *Cold Reg. Sci. Technol.*,40: 145-64.
- Williams, G.P. 1965. Correlating freeze-up and break-up with weather conditions. *Canad. Geotech. J.* 17: 313-326.
- Williams, G.P. 1971. Predicting the date of lake-ice break-up. *Water Res.* 7:323-33.
- Wynne, R.H. *etal.* 1998. Satellite monitoring of lake ice breakup on the Laurentian Shield (1980-1996). *Photo. Eng. Remote Sensing.* 64:607-18.
- Wynne, R.H. 2000. Statistical modeling of lake ice phenology: issues and implications. *Verhandl. Internat. Verein. Limnol.*, 27: 2820-25.