

## APPM 2360: Midterm exam 1

February 14, 2018

---

ON THE FRONT OF YOUR BLUEBOOK write: (1) your name, (2) your instructor's name, (3) your recitation section number and (4) a grading table. Text books, class notes, cell phones and calculators are NOT permitted. A letter sized one page crib sheet is allowed.

---

**Problem 1:** (30 points, 6 points each) **True/False** (answer True if it is always true, otherwise answer False).

- (a)  $y'' + y'y + ty = 0$  is a second order linear homogeneous differential equation.
- (b) The operator  $L[y] = y' + 3y + 1$  satisfies the two properties of linear operators.
- (c) If  $y_1(t)$  and  $y_2(t)$  are two solutions of the differential equation  $y^2 - y' + y = 0$ , then for any constants  $c_1$  and  $c_2$ ,  $c_1y_1(t) + c_2y_2(t)$  is also a solution.
- (d) The conditions of Picard's Theorem about **both** the existence and the uniqueness are satisfied by the IVP  $y' = (ty)^{1/3}$  with  $y(0) = 1$ .
- (e) The equilibrium solution  $y = 3$  to the differential equation  $y' = -2(y - 1)(y - 3)$  is stable.

**Problem 2:** (30 points, 10 points each) **Short Answer** for the following problems. No justification is needed.

- (a)  $y_1 = e^{2t} + t$  and  $y_2 = t$  are two known solutions to the linear differential equation  $y'(t) + p(t)y(t) = f(t)$ . Find the function  $p(t)$ .
- (b) Given the initial value problem  $y' = 2y, y(0) = 1$ , use Euler's method to create an approximation to the solution at  $t = 1$  using a step-size of  $h = \frac{1}{2}$ .
- (c) The number of bacteria in a jar increases at a rate proportional to the population of bacteria in the jar. The number of bacteria in the jar triples in 4 hours. Then after 6 hours, the population is how many times of the original population?

**Problem 3:** (30 points) Given the differential equation  $2y(y' + yt) = t(1 + y^2)$ , answer the following questions:

- (a) (5 points) Is the differential equation separable? If so, write it in separated form.
- (b) (10 points) Are there any constant equilibrium solutions? If so, state the solution(s).
- (c) (15 points) Solve the differential equation given the initial condition  $y(0) = 2$ .

**Problem 4:** (30 points) Use Variation of Parameters (Euler-Lagrange Method) to solve the following differential equation:  $ty' + (2t + 1)y = 2$ , where  $t > 0$  and  $y(1) = 1$ .

- (a) (12 points) Find all homogeneous solutions  $y_h$ .
- (b) (12 points) Use Variation of Parameters (Euler-Lagrange) to find a particular solution  $y_p$ .
- (c) (3 points) Find the general solution.
- (d) (3 points) Find the solution that solves the IVP of the above equation with  $y(1) = 1$ .

**Problem 5:** (30 points, 15 points each) Salt water with a concentration of 1 lbs per gallon is pumped into a tank at a rate of 3 gallons per minute. Initially, the tank contains 50 gallons of fresh water. The well-stirred mixture flows out of the tank at the same rate of 3 gallons per minute.

- (a) What is the initial value problem satisfied by the amount of salt in the tank  $x(t)$ ?
- (b) Solve the initial value problem in part (a) and find the amount of salt in the tank as a function of time.