

APPM 1350
Spring 2022

Exam 2

March 2

Instructions:

- Write your name and section number at the top of each page.
 - Show all work and simplify your answers, except where the instructions tell you to leave your answer unsimplified.
 - Name any theorem that you use and explain how it is used.
 - Answers with no justification will receive no points unless the problem explicitly states otherwise.
 - Notes, your text and other books, calculators, cell phones, and other electronic devices are not permitted, except as needed to upload your work.
 - When you have completed the exam, go to the scanning section of the room and upload it to Gradescope. Verify that everything has been uploaded correctly and pages have been associated to the correct problem before you leave the room.
 - Turn in your hardcopy exam before you leave the room.
-

1. (30 pts)

(a) Compute the derivatives for each of the following functions:

i. $y = \frac{x^3 - 2x + 1}{2x + 2}$

ii. $y = (2 - \tan(3x - 1))^4$

(b) Given the curve


$$x\sqrt{y} = x - y + 5$$

- i. Find the derivative $\frac{dy}{dx}$ in terms of x and y . You do not need to simplify.
- ii. Find the tangent line to the above curve at the point $(1, 4)$.

Name _____

Section _____

2. (15 pts) Gravel is being dumped from a conveyor belt at a rate of 10 cubic feet per minute. It forms a pile in the shape of a right circular cone whose base diameter and height are always equal. How fast is the height of the pile increasing when the pile is 18 feet high? Recall that the volume of a right circular cone with height h and radius of the base r is given by $V = \frac{1}{3}\pi r^2 h$.



3. (20 pts)

(a) Spherical ball bearings are manufactured to have a diameter of 1 ± 0.01 cm. Use differentials to estimate the maximum error in the volume. Recall that the volume of a sphere with radius r is given by $V = \frac{4}{3}\pi r^3$.

(b) Let $k(x) = \frac{1}{\sqrt{x}}$. Use the limit definition of derivative to find $k'(4)$.

Name _____


Section _____

4. (10 pts) Consider the function $f(x) = x^2 - x - 3$ on the interval $[-1, 4]$. For what values of c in $(-1, 4)$ is the conclusion of the Mean Value Theorem satisfied?

5. (25 pts) Suppose $f(x)$ is a twice differentiable function with

$$f'(x) = -2(x + 1)^2(x - 5).$$

- Find the intervals of increase and decrease of $f(x)$.
- Find and classify all local extrema.
- Find the intervals of concave up, concave down, and identify the position (x -value) of any inflection points.
- Graph a function $f(x)$ that meets the above criteria.



Name _____

Section _____

Name _____

Section _____

Scratch work

Be sure to label your problems