APPM 3570/STAT 3100

NAME: \_\_\_\_\_

SECTION: 001 or 002

## Instructions:

- 1. Calculators are permitted.
- 2. Notes, your text and other books, cell phones, and other electronic devices are not permitted except for calculators or as needed to view and upload your work.
- 3. Justify your answers, show all work.
- 4. When you have completed the exam, go to the uploading area in the room and scan your exam and upload it to Gradescope.
- 5. Don't forget to scan any back pages you used for extra space!
- 6. Verify that everything has been uploaded correctly and the pages have been associated to the correct problems.
- 7. Turn in your hardcopy exam.

On my honor as a University of Colorado Boulder student, I have neither given nor received unauthorized assistance on this work.

Signature:

Date:

## **Duration: 90 minutes**

**Problem 1.** (20 points.) The following five questions pertain to permutations of the following letters: x, y, y, z, z, z, v, v, v, w, w, w, w, w. Do <u>not</u> simplify your answers.

- (a) How many different permutations are there?
- (b) How many permutations start with a w and end with an x?
- (c) How many permutations keep identical letters together?
- (d) How many permutations contain the sub-sequence v, z, v, z, v, z, v?
- (e) How many permutations keep no two y's together?

Problem 2. (24 points.) There are three unrelated parts to this question.

- (a) Four events occur with probabilities P(E) = 0.35, P(F) = 0.15, P(G) = 0.40, P(B) = 0.30. If P(E|B) = 0.20, what's the probability that exactly one of E or B occurs? Simplify your answer!
- (b) A drawer has 8 forks, 8 knives, 4 spoons and one spatula. If I draw 10 objects randomly, what's the probability that I get at least one fork and one spatula? Do <u>not</u> simplify your answer.
- (c) A fast-food Mexican restaurant sells burritos with a choice of up to seven different fillings. If customers are equally likely to ask for any combination of at least one and all the possible fillings, what's the probability a new customer asks for a burrito with all seven fillings? Simplify your answer!

**Problem 3.** (24 points.) A manufacturer produces vehicle batteries, some of which are defective. Assume that the probability that a battery is defective is 0.10. There is an electronic test to determine if a battery is or not defective. When the electronic test is conducted on a defective battery, the probability that the electronic test will be positive (i.e., indicate that the battery is defective) is 0.9. Instead, when the electronic test is conducted on a non-defective battery, the probability that the electronic test is conducted on a non-defective battery, the probability that the electronic test is conducted on a non-defective battery, the probability that the electronic test will be positive is 0.1.

- (a) If the electronic test is conducted on a randomly selected battery, what is the probability that the test is positive? Simplify your answer!
- (b) Given that the test is positive, what is the probability that the battery is defective? Simplify your answer!
- (c) A second test is available. It is a digital test whose results are independent of the electronic test results. If a battery is defective, the second test will find it defective with probability 0.8. Instead, if a battery is non-defective, the digital test will find it defective with probability 0.2. Given that a battery tests positive on both tests, what is the probability that it is defective? Simplify your answer!

**Problem 4.** (32 points.) A biased coin is twice more likely to come up heads than tails. Let G be the number of heads minus the number of tails observed when the coin is tossed independently three times.

- (a) What's the probability of flipping heads in one coin toss?
- (b) Determine the probability mass function (p.m.f.) of G.
- (c) Find  $P(-1 \le G \le 2)$ .
- (d) Determine the cumulative distribution function (c.d.f.) of G.

**Bonus Problem.** (Recover up to 4 points marked down in problems 1-4.) Let A, B, and C be independent events. Are  $(A \cup B)$  and C independent? Justify your answer with a mathematical argument or a counter-example.