

Bibliography

- [1] G. E. Backus, *Potentials for tangent tensor fields on spheroids*, Arch. Rational Mech. Anal. **22** (1966), 210–252. MR MR0195015 (33 #3220) (Cited on p. 141)
- [2] D. Barkley, *A model for fast computer simulation of waves in excitable media*, Physica D **49** (1991), 61–70. (Cited on p. 92)
- [3] G. A. Barnett, N. Flyer, and L. J. Wicker, *An RBF-FD polynomial method based on polyharmonic splines for the Navier-Stokes equations: Comparisons on different node layouts*, submitted (2015). (Cited on pp. 114, 171, 172, 173)
- [4] D. Barton, I. M. Willers, and R. V. M. Zahar, *An implementation of the Taylor series method for ordinary differential equations*, Comput. J. **14** (1971), 243–248. (Cited on p. 7)
- [5] A. Bassi, *A Scilab radial basis function toolbox*, Master’s thesis, University of Padova, Italy, 2012. (Cited on p. 58)
- [6] B. J. C. Baxter, *The interpolation theory of radial basis functions*, Ph.D. Dissertation, University of Cambridge, Cambridge, UK, 1992. (Cited on p. 44)
- [7] ———, *On the asymptotic behaviour of the span of translates of the multiquadric $\phi(r) = (r^2 + c^2)^{1/2}$ as $c \rightarrow \infty$* , Comput. Math. Appl. **24** (1992), 1–6. (Cited on p. 47)
- [8] V. Bayona, N. Flyer, G. M. Lucas, and A. J. G. Baumgaertner, *A 3-D RBF-FD solver for modelling the atmospheric Global Electric Circuit with topography (GEC-RBFFD v1.0)*, Geosci. Model Dev. to appear. (Cited on pp. 161, 162)
- [9] V. Bayona, M. Moscoso, M. Carretero, and M. Kindelan, *RBF-FD formulas and convergence properties*, J. Comput. Phys. **229** (2010), 8281–8295. (Cited on p. 123)
- [10] R. K. Beatson, J. B. Cherrie, and C. T. Mouat, *Fast fitting of radial basis functions: Methods based on preconditioned GMRES iteration*, Adv. Comput. Math. **11** (1999), 253–270. (Cited on p. 58)
- [11] R. K. Beatson and L. Greengard, *A short course on fast multipole methods*, in Wavelets, Multi-level Methods and Elliptic PDEs (M. Ainsworth, J. Levesley, W. A. Light, and M. Marletta, eds.), Oxford University Press, Oxford, UK, 1997, pp. 1–37. (Cited on p. 76)
- [12] R. K. Beatson, W. A. Light, and S. Billings, *Fast solution of the radial basis function interpolation equations: Domain decomposition methods*, SIAM J. Sci. Comput. **22** (2000), 1717–1740. (Cited on p. 88)
- [13] R. K. Beatson, M. J. D. Powell, and A. M. Tan, *Fast evaluation of polyharmonic splines in three dimensions*, IMA J. Numer. Anal. **27** (2007), 427–450. (Cited on p. 76)
- [14] R. E. Bellman, B. G. Kashef, and J. Casti, *Differential quadrature: A technique for the rapid solution of nonlinear partial differential equations*, J. Comput. Phys. **10** (1972), 40–52. (Cited on p. 38)

- [15] T. Belytschko, Y. Y. Lu, and L. Gu, *Element-free Galerkin methods*, Int. J. Numer. Meth. Engrg. **37** (1994), 229–256. (Cited on p. 91)
- [16] J. L. Bentley, *Multidimensional binary search trees used for associative searching*, Comm. ACM **18** (1975), 509–517. (Cited on p. 150)
- [17] F. Bernal and M. Kindelan, *Radial basis function solution of the Motz problem*, Engrg. Comput.: Int. J. Comput. Aided Engrg. Softw. **27** (2010), 606–620. (Cited on pp. 95, 110)
- [18] C. W. Bert and M. Malik, *Differential quadrature method in computational mechanics: A review*, Appl. Mech. Rev. **49** (1996), 1–28. (Cited on pp. 38, 39)
- [19] S. Blaise and A. St-Cyr, *A dynamic hp-adaptive discontinuous Galerkin method for shallow water flows on the sphere with application to a global tsunami simulation.*, Monthly Weather Rev. **140**(3) (2012), 978–996. (Cited on p. 153)
- [20] S. Bochner, *Monotone Functionen, Stieltjes Integrale und Harmonische Analyse*, Math. Ann. **108** (1933), 378–410. (Cited on pp. ix, 39, 43)
- [21] E. Bollig, N. Flyer, and G. Erlebacher, *Solution to PDEs using radial basis function finite-differences (RBF-FD) on multiple GPUs*, J. Comput. Phys. **231** (2012), 7133–7151. (Cited on pp. 111, 126)
- [22] F. Bornemann, *Accuracy and stability of computing high-order derivatives of analytic functions by Cauchy integrals*, Found. Comput. Math. **11** (2011), 1–63. (Cited on p. 7)
- [23] J. P. Boyd, *Chebyshev and Fourier Spectral Methods*, Dover, New York, 2000. (Cited on p. 19)
- [24] ———, *A comparison of numerical algorithms for Fourier extension of the first, second, and third kinds*, J. Comput. Phys. **178** (2002), 118–160. (Cited on p. 38)
- [25] ———, *Error saturation in Gaussian radial basis functions on a finite interval*, J. Comput. Phys. **234** (2010), 1435–1441. (Cited on p. 79)
- [26] ———, *Six strategies for defeating the Runge phenomenon in Gaussian radial basis functions on a finite interval*, Comput. Math. Appl. **60** (2010), 3108–3122. (Cited on p. 69)
- [27] ———, *The near-equivalence of five species of spectrally-accurate radial basis functions (RBFs): Asymptotic approximations to the RBF cardinal functions on a uniform, unbounded grid*, J. Comput. Phys. **230** (2011), 1304–1318. (Cited on p. 47)
- [28] J. P. Boyd and N. Flyer, *Compatibility conditions for time-dependent partial differential equations and the rate of convergence of Chebyshev and Fourier spectral methods*, Comput. Methods Appl. Mech. Engrg. **175** (1999), 281–309. (Cited on p. 95)
- [29] J. P. Boyd and F. Yu, *Comparing seven spectral methods for interpolation and for solving the Poisson equation in a disk: Zernike polynomials, Logan-Shepp ridge polynomials, Chebyshev-Fourier series, cylindrical Robert functions, Bessel-Fourier expansions, square-to-disk conformal mapping and radial basis functions*, J. Comput. Phys. **230** (2011), 1408–1438. (Cited on p. 122)
- [30] M. Bozzini, L. Lenarduzzi, M. Rossini, and R. Schaback, *Interpolation by basis functions of different scales and shapes*, CALCOLO **41** (2004), 77–87. (Cited on p. 70)
- [31] J. W. Brooke and T. J. Hanratty, *Origin of turbulence-producing eddies in channel flow*, Phys. Fluids A **5** (1993), 1011–1022. (Cited on p. 32)
- [32] O. P. Bruno, Y. Han, and M. M. Pohlman, *Accurate, high-order representation of complex three-dimensional surfaces via fourier continuation analysis*, J. Comput. Phys. **227** (2007), 1094–1125. (Cited on p. 38)

- [33] M. D. Buhmann, *A new class of radial basis functions with compact support*, Math. Comput. **70** (1988), no. 233, 307–318. (Cited on p. 42)
- [34] ———, *Radial Basis Functions: Theory and Implementations*, Cambridge Monographs on Applied and Computational Mathematics, vol. 12, Cambridge University Press, Cambridge, UK, 2003. (Cited on pp. 39, 47)
- [35] M. D. Buhmann and S. Dinew, *Limits of radial basis function interpolants*, Comm. Pure Appl. Anal. **6** (2007), 569–585. (Cited on pp. 53, 56)
- [36] M. D. Buhmann, S. Dinew, and E. Larsson, *A note on radial basis function interpolant limits*, IMA J. Numer. Anal. **30** (2010), 543–554. (Cited on p. 56)
- [37] M. D. Buhmann and M. J. D. Powell, *Radial basis function interpolation on an infinite regular grid*, in *Algorithms for Approximation II*, M. G. Cox and J. C. Mason (eds.), Chapman & Hall, London, 1990, 146–169. (Cited on p. 47)
- [38] D. A. Cervantes Cabrera, P. Gonzalez-Casanova, C. Gout, L. H. Juarez, and L. R. Resendiz, *Vector field approximation using radial basis functions*, J. Comput. Appl. Math. **240** (2013), 163–173. (Cited on p. 58)
- [39] R. E. Carlson and T. A. Foley, *The parameter r^2 in multiquadric interpolation*, Comput. Math. Appl. **21** (1991), 29–42. (Cited on p. 69)
- [40] R. Cavoretto and A. DeRossi, *Fast and accurate interpolation of large scattered data sets on the sphere*, J. Comput. Appl. Math. **234** (2010), 1505–1521. (Cited on p. 88)
- [41] G. Chandhini and Y. V. S. S. Sanyasiraju, *Local RBF-FD solutions for steady convection-diffusion problems*, Int. J. Numer. Methods Engrg. **72** (2007), 352–378. (Cited on p. 124)
- [42] S. Chandrasekhar, *Hydrodynamic and Hydromagnetic Stability*, Dover, New York, 1961. (Cited on p. 141)
- [43] W. Chen, Z-J. Fu, and C. S. Chen, *Recent Advances in Radial Basis Function Collocation Methods*, Springer Briefs in Applied Sciences and Technology, Springer-Verlag, Heidelberg, 2014. (Cited on p. 39)
- [44] E. W. Cheney and W. A. Light, *A Course in Approximation Theory*, Brooks/Cole, New York, 2000. (Cited on p. 45)
- [45] A. H.-D. Cheng, *Multi-quadric and its shape parameter—A numerical investigation of error estimate, condition number, and round-off error by arbitrary precision computation*, Engrg. Anal. Bound. Elem. **36** (2012), 220–239. (Cited on p. 57)
- [46] J. B. Cherrie, R. K. Beatson, and G. N. Newsam, *Fast evaluation of radial basis functions: Methods for generalized multi-quadrics \mathbb{R}^n* , SIAM J. Sci. Comput. **23** (2002), 1549–1571. (Cited on p. 76)
- [47] P. P. Chinchapatnam, K. Djidjeli, and P. B. Nair, *Domain decomposition for time-dependent problems using radial based meshless methods*, Numer. Methods Part. Diff. Eq. **23** (2007), 38–59. (Cited on pp. 88, 125)
- [48] P. P. Chinchapatnam, K. Djidjeli, P. B. Nair, and M. Tan, *A compact RBF-FD based meshless method for the incompressible Navier-Stokes equations*, J. Engrg. Maritime Env. **223** (2009), 275–290. (Cited on pp. 125, 126)
- [49] L. Collatz, *The Numerical Treatment of Differential Equations*, Springer-Verlag, Berlin, 1960. (Cited on p. 15)

- [50] R. Courant, K. Friedrichs, and H. Lewy, *On the partial differential equations of mathematical physics* (in German), Math. Ann. **100** (1928), 32–74. (Cited on p. 14)
- [51] P. C. Curtis, Jr., *n-parameter families and best approximation*, Pacific J. Math. **93** (1959), 1013–1027. (Cited on p. 40)
- [52] O. Davydov and D. T. Oanh, *Adaptive meshless centres and RBF stencils for Poisson equation*, J. Comput. Phys. **230** (2011), 287–304. (Cited on pp. 110, 117, 122)
- [53] ———, *On the optimal shape parameter for Gaussian radial basis function finite difference approximation of the Poisson equation*, Comput. Math. Appl. **62** (2011), 2143–2161. (Cited on p. 123)
- [54] Q. Deng and T. A. Driscoll, *A fast treecode for multiquadric interpolation with varying shape parameters*, SIAM J. Sci. Comput. **34** (2012), A1126–A1140. (Cited on p. 76)
- [55] T. A. Driscoll and B. Fornberg, *Interpolation in the limit of increasingly flat radial basis functions*, Comput. Math. Appl. **43** (2002), 413–422. (Cited on pp. 47, 49, 52, 109)
- [56] T. A. Driscoll and A. Heryudono, *Adaptive residual subsampling methods for radial basis function interpolation and collocation problems*, Comput. Math. Appl. **53** (2007), 927–939. (Cited on p. 70)
- [57] J. Duchon, *Splines mimimizing rotation-invariant semi-norms in Sobolev space*, in Constructive Theory of Functions of Several Variables, Springer Lecture Notes in Math **21** (1977), 85–100. (Cited on p. 41)
- [58] N. Dyn, *Interpolation and approximation by radial and related functions*, in Approximation Theory VI (C. Chui, L. Schumaker, and J. Ward, eds.), Academic Press, New York, 1989, pp. 211–234. (Cited on p. 58)
- [59] N. Dyn and D. Levin, *Iterative solution of systems originating from integral equations and surface interpolation*, SIAM J. Numer. Anal. **20** (1983), 377–390. (Cited on p. 58)
- [60] N. Dyn and A. Ron, *Radial basis function approximation—From gridded centers to scattered centers*, Proc. Lond. Math. Soc. **71** (1995), 76–108. (Cited on p. 77)
- [61] A. Emdadi, E. J. Kansa, N. A. Libre, M. Rahimian, and M. Shekarchi, *Stable PDE solution methods for large multiquadric shape parameters*, Comput. Mod. Engrg. Sci. **25** (2008), 23–41. (Cited on p. 58)
- [62] E. Erturk and C. Gökçöl, *Fourth order compact formulation of Navier-Stokes equations and driven cavity flow at high Reynolds numbers*, Int. J. Numer. Meth. Fluids **50** (2006), 412–436. (Cited on p. 17)
- [63] G. E. Fasshauer, *Solving partial differential equations by collocation with radial basis functions*, in Surface Fitting and Multiresolution Method, Proceedings of the 3rd International Conference on Curves and Surfaces (Chamonix–Mont-Blanc), Vol. 2 (A. LeMéhauté, C. Rabut, and L. L. Schumaker, eds.), Vanderbilt University Press, Nashville, TN, 1997, 131–138. (Cited on p. 94)
- [64] ———, *Solving partial differential equations with radial basis functions: Multilevel methods and smoothing*, Adv. Comput. Math. (1999), 139–159. (Cited on p. 89)
- [65] ———, *Meshfree Approximation Methods with MATLAB*, Interdisciplinary Mathematical Sciences 6, World Scientific Publishers, Singapore, 2007. (Cited on pp. 39, 42, 44, 45, 47, 56, 58, 69, 88, 191)

- [66] G. E. Fasshauer and M. J. McCourt, *Stable evaluation of Gaussian radial basis function interpolants*, SIAM J. Sci. Comput. **34** (2012), A737–A762. (Cited on pp. 64, 66)
- [67] G. E. Fasshauer and J. G. Zhang, *On choosing “optimal” shape parameters for RBF approximation*, Numer. Alg. **45** (2007), 345–368. (Cited on p. 69)
- [68] A. C. Faul, G. Goodsell, and M. J. D. Powell, *A Krylov subspace algorithm for multi-quadric interpolation in many dimensions*, IMA J. Numer. Anal. **25** (2005), 1–24. (Cited on p. 76)
- [69] A. C. Faul and M. J. D. Powell, *Krylov subspace methods for radial basis function interpolation*, in Proceedings of the International Conference on Numerical Analysis (Dundee), August 1999. (Cited on p. 76)
- [70] A. I. Fedoseyev, M. J. Friedman, and E. J. Kansa, *Improved multi-quadric method for elliptic partial differential equations via PDE collocation on the boundary*, Comput. Math. Appl. **43** (2002), 439–455. (Cited on pp. 73, 94)
- [71] M. S. Floater and A. Iske, *Thinning algorithms for scattered data interpolation*, BIT **38** (1998), 705–720. (Cited on pp. 88, 89)
- [72] N. Flyer, *Exact polynomial reproduction for oscillatory radial basis functions on infinite lattices*, Comput. Math. Appl. **51** (2006), 1199–1208. (Cited on pp. 56, 78)
- [73] N. Flyer and B. Fornberg, *On the nature of initial-boundary value solutions for dispersive equations*, SIAM J. Appl. Math., **64** (2004), 546–564. (Cited on p. 95)
- [74] ———, *Accurate numerical resolution of transients in initial-boundary value problems for the heat equation*, J. Comput. Phys. **51**, No. 184, (2003), 526–539. (Cited on p. 95)
- [75] ———, *Radial basis functions: Developments and applications to planetary scale flows*, Comput. Fluids, **46** (2011), 23–32. (Cited on pp. 48, 49, 87, 96)
- [76] N. Flyer, B. Fornberg, G. A. Barnett, and V. Bayona, *On the role of polynomials in RBF-FD approximations: Interpolation and accuracy*, submitted. (Cited on pp. 114, 117, 160)
- [77] N. Flyer and E. Lehto, *Rotational transport on a sphere: Local node refinement with radial basis functions*, J. Comput. Phys. **229** (2010), 1954–1969. (Cited on pp. 70, 97, 102, 103, 104, 105, 106, 107)
- [78] N. Flyer, E. Lehto, S. Blaise, G. B. Wright, and A. St-Cyr, *A guide to RBF-generated finite differences for nonlinear transport: Shallow water simulations on a sphere*, J. Comput. Phys. **231** (2012), 4078–4095. (Cited on pp. 126, 149, 150, 152, 155, 156, 157, 158, 160)
- [79] N. Flyer and G. B. Wright, *Transport schemes on a sphere using radial basis functions*, J. Comput. Phys. **226** (2007), 1059–1084. (Cited on pp. 97, 98, 99, 100, 101)
- [80] ———, *A radial basis function method for the shallow water equations on a sphere*, Proc. Roy. Soc. A **465** (2009), 1949–1976. (Cited on pp. 136, 137, 138, 139, 140, 141)
- [81] N. Flyer and P. N. Swarztrauber, *The convergence of spectral and finite difference methods for initial-boundary value problems*, SIAM J. Sci. Comput., **23** (2002), 1731–1751. (Cited on p. 95)
- [82] N. Flyer, G. B. Wright, and B. Fornberg, *Radial basis function-generated finite differences: A mesh-free method for computational geosciences*, in Handbook of Geomathematics (W. Freeden, M. Z. Nashed, and T. Sonar, eds.), 2nd ed., Springer-Verlag, Berlin, 2014. (Cited on pp. 142, 144, 145, 147, 159)
- [83] B. Fornberg, *A numerical study of 2-D turbulence*, J. Comput. Phys. **25** (1977), 1–31. (Cited on p. 32)

- [84] ———, *Numerical differentiation of analytic functions*, ACM Trans. Math. Softw. **7** (1981), 512–526. (Cited on p. 7)
- [85] ———, *The pseudospectral method: Comparisons with finite differences for the elastic wave equation*, Geophysics **52** (1987), 483–501. (Cited on pp. 22, 174)
- [86] ———, *Generation of finite difference formulas on arbitrarily spaced grids*, Math. Comput. **51** (184) (1988), 699–706. (Cited on p. 6)
- [87] ———, *The pseudospectral method: Accurate representation of interfaces in elastic wave calculations*, Geophysics **53** (1988), 625–637. (Cited on p. 175)
- [88] ———, *Steady viscous flow past a sphere at high Reynolds number*, J. Fluid Mech. **190** (1988), 471–489. (Cited on p. 124)
- [89] ———, *High order finite differences and the pseudospectral method on staggered grids*, SIAM J. Numer. Anal. **27** (1990), 904–918. (Cited on pp. 20, 21, 26)
- [90] ———, *A Practical Guide to Pseudospectral Methods*, Cambridge Monographs on Applied and Computational Mathematics, Vol. 1, Cambridge University Press, Cambridge, UK, 1996. (Cited on pp. 10, 19, 20, 21, 22, 24, 25, 26, 33, 34, 36, 37, 189)
- [91] ———, *Calculations of weights in finite difference formulas*, SIAM Rev. **40** (1998), 685–691. (Cited on pp. 3, 6)
- [92] B. Fornberg, T. A. Driscoll, G. Wright, and R. Charles, *Observations on the behavior of radial basis functions near boundaries*, Comput. Math. Appl. **43** (2002), 473–490. (Cited on pp. 47, 73, 74, 75, 94, 149, 181)
- [93] B. Fornberg and N. Flyer, *Accuracy of radial basis function interpolation and derivative approximations on 1-D infinite grids*, Adv. Comput. Math. **23** (2005), 5–20. (Cited on p. 85)
- [94] ———, *The Gibbs phenomenon for radial basis functions*, in *The Gibbs Phenomenon in Various Representations and Applications* (A. Jerri, ed.), Sampling Publishing, Potsdam, N.Y., 2011, pp. 197–219. (Cited on pp. 23, 83)
- [95] ———, *Fast generation of 2-D node distributions for mesh-free PDE discretizations*, Comput. Math. Appl. **69** (2015), 531–544. (Cited on pp. 111, 193, 195)
- [96] ———, *Solving PDEs with radial basis functions*, Acta Numer. **24** (2015), 215–258. (Cited on pp. 40, 65, 154, 171, 175, 176, 177)
- [97] B. Fornberg, N. Flyer, S. Hovde, and C. Piret, *Locality properties of radial basis function expansion coefficients for equispaced interpolation*, IMA J. Numer. Anal. **28**(1) (2008), 121–142. (Cited on pp. 81, 83, 84)
- [98] B. Fornberg, N. Flyer, and J.M. Russell, *Comparisons between pseudospectral and radial basis function derivative approximations*, IMA J. Numer. Anal. **30** (2010), 149–172. (Cited on pp. 86, 87)
- [99] B. Fornberg and M. Ghrist, *Spatial finite difference approximations for wave-type equations*, SIAM J. Numer. Anal. **37** (1999), 105–130. (Cited on p. 27)
- [100] B. Fornberg, E. Larsson, and N. Flyer, *Stable computations with Gaussian radial basis functions in 2-D*, Technical Report 2009-020, Dept. of Information Technology, Uppsala University, Uppsala, Sweden, 2009. (Cited on pp. 56, 66)
- [101] ———, *Stable computations with Gaussian radial basis functions*, SIAM J. Sci. Comput. **33** (2011), 869–892. (Cited on pp. 64, 66)

- [102] B. Fornberg, E. Larsson, and G. Wright, *A new class of oscillatory radial basis functions*, Comput. Math. Appl. **51** (2006), 1209–1222. (Cited on pp. 55, 56)
- [103] B. Fornberg and E. Lehto, *Stabilization of RBF-generated finite difference methods for convective PDEs*, J. Comput. Phys. **230** (2011), 2270–2285. (Cited on pp. 126, 127, 128, 129, 131, 132, 149, 152)
- [104] B. Fornberg, E. Lehto, and C. Powell, *Stable calculation of Gaussian-based RBF-FD stencils*, Comput. Math. Appl. **65** (2013), 627–637. (Cited on pp. 59, 66, 68, 69, 70, 71)
- [105] B. Fornberg and J. M. Martel, *On spherical harmonics based numerical quadrature over the surface of a sphere*, Adv. Comput. Math. **40** (2014), 1169–1184. (Cited on pp. 90, 114, 196, 197)
- [106] B. Fornberg and D. Merrill, *Comparison of finite difference- and pseudospectral methods for convective flow over a sphere*, Geophys. Res. Lett. **24** (1997), 3245–3248. (Cited on pp. 29, 30)
- [107] B. Fornberg and C. Piret, *A stable algorithm for flat radial basis functions on a sphere*, SIAM J. Sci. Comput. **30** (2008), 60–80. (Cited on pp. 58, 62, 64, 141, 189)
- [108] ———, *On choosing a radial basis function and a shape parameter when solving a convective PDE on a sphere*, J. Comput. Phys. **227** (2008), 2758–2780. (Cited on pp. 41, 101, 102, 196)
- [109] B. Fornberg and G. B. Whitham, *A numerical and theoretical study of certain nonlinear wave phenomena*, Philos. Trans. R. Soc. Lond. Ser. A **289** (1978), 373–404. (Cited on pp. 31, 32)
- [110] B. Fornberg and G. Wright, *Stable computation of multiquadric interpolants for all values of the shape parameter*, Comput. Math. Appl. **48** (2004), 853–867. (Cited on pp. 47, 58)
- [111] B. Fornberg, G. Wright, and E. Larsson, *Some observations regarding interpolants in the limit of flat radial basis functions*, Comput. Math. Appl. **47** (2004), 37–55. (Cited on p. 53)
- [112] B. Fornberg and J. Zuev, *The Runge phenomenon and spatially variable shape parameters in RBF interpolation*, Comput. Math. Appl. **54** (2007), 379–398. (Cited on pp. 49, 50, 51, 69, 70, 71, 72, 73, 94, 102, 160)
- [113] D. G. Fox and S. A. Orszag, *Pseudospectral approximation to two-dimensional turbulence*, J. Comput. Phys. **11** (1973), 612–619. (Cited on p. 32)
- [114] L. Fox, *Some improvements in the use of relaxation methods for the solution of ordinary and partial differential equations*, Proc. Roy. Soc. A **190** (1947), 31–59. (Cited on p. 15)
- [115] R. Franke, *Scattered data interpolation: Tests of some methods*, Math. Comput. **38** (1982), 181–200. (Cited on p. 39)
- [116] W. Freeden, T. Gervens, and M. Schreiner, *Constructive Approximation on the Sphere with Applications to Geomathematics*, Oxford University Press, Oxford, UK 1998. (Cited on p. 63)
- [117] W. Freeden and M. Schreiner, *Spherical Functions of Mathematical Geosciences*, Springer-Verlag, Berlin, 2009. (Cited on p. 190)
- [118] E. Fuselier, T. Hangelbroek, F. J. Narcowich, J. D. Ward, and G. B. Wright, *Kernel based quadrature on spheres and other homogeneous spaces*, Numer. Math. **127** (2014), 57–92. (Cited on p. 90)
- [119] E. J. Fuselier and G. B. Wright, *Stability and error estimates for vector field interpolation and decomposition on the sphere with RBFs*, SIAM J. Numer. Anal. **47** (2009), 3213–3239. (Cited on p. 89)

- [120] E. J. Fuselier and G. B. Wright, *A high-order kernel method for diffusion and reaction-diffusion equations on surfaces*, J. Sci. Comput. **56** (2013), 535–565. (Cited on p. 92)
- [121] J. Galewsky, R. K. Scott, and L. M. Polvani, *An initial-value problem for testing numerical models of the global shallow-water equations*, Tellus **56A** (2004), 429–440. (Cited on pp. 153, 155)
- [122] C. S. Gardner, J. M. Green, M. D. Kruskal, and R. M. Miura, *Method for solving the Korteweg-de-Vries equation*, Phys. Rev. Lett. **19** (1967), 1095–1097. (Cited on p. 30)
- [123] M. Ghrist and B. Fornberg, *Two results concerning the stability of staggered multistep methods*, SIAM J. Numer. Anal. **50** (2012), 1849–1860. (Cited on p. 11)
- [124] M. Ghrist, B. Fornberg, and T. A. Driscoll, *Staggered time integrators for wave equations*, SIAM J. Numer. Anal. **38** (2000), 718–741. (Cited on pp. 11, 27, 28)
- [125] M. L. Ghrist, J. A. Reeger, and B. Fornberg, *Stability ordinates of Adams predictor-corrector methods*, BIT, to appear. (Cited on p. 13)
- [126] Q. T. Le Gia, I. H. Sloan, and H. Wendland, *Multiscale RBF collocation for solving PDEs on spheres*, Numer. Math. **121** (2012), 99–125. (Cited on p. 89)
- [127] F. X. Giraldo and M. Restelli, *A study of spectral element and discontinuous Galerkin methods for the Navier-Stokes equations in nonhydrostatic mesoscale atmospheric modeling: Equation sets and test cases*, J. Comput. Phys. **227** (2008), 3849–3877. (Cited on p. 173)
- [128] H. Girod and L. Harzheim, *Stable computation of Gaussian interpolants—A heuristic approach*, Struct. Multidisc. Optim. (2010), no. 42, 209–214. (Cited on p. 44)
- [129] P. Gonnet, R. Pachón, and L. N. Trefethen, *Robust rational interpolation and least squares*, Electr. Trans. Numer. Anal. **38** (2011), 146–167. (Cited on pp. 61, 62)
- [130] P. Gonzalez-Casanova, J. A. Munoz-Gomez, and G. Rodriguez-Gomez, *Node adaptive domain decomposition method by radial basis functions*, Numer. Methods Part. Diff. Eq. **25** (2009), 1482–1501. (Cited on p. 88)
- [131] D. Gottlieb and S. A. Orszag, *Numerical Analysis of Spectral Methods*, SIAM, Philadelphia, 1977. (Cited on pp. 21, 139, 153)
- [132] L. Greengard and J. Strain, *The fast Gauss transform*, SIAM J. Sci. Statist. Comput. **12** (1991), 79–94. (Cited on p. 76)
- [133] N. A. Gumerov and R. Duraiswami, *Fast radial basis function interpolation via preconditioned Krylov iteration*, SIAM J. Sci. Comput. **29** (2007), 1876–1899. (Cited on p. 76)
- [134] M. M. Gupta, *High accuracy solutions of incompressible Navier-Stokes equations*, J. Comput. Phys. **93** (1991), 343–359. (Cited on p. 17)
- [135] B. Gustafsson, H. O. Kreiss, and J. Oliger, *Time Dependent Problems and Difference Methods*, Wiley, New York, 1995. (Cited on p. 10)
- [136] E. Hairer, S. P. Nørsett, and G. Wanner, *Solving Ordinary Differential Equations I—Nonstiff Problems*, Springer-Verlag, Berlin, 1987. (Cited on p. 11)
- [137] E. Hairer and G. Wanner, *Solving Ordinary Differential Equations II—Stiff and Differential-Algebraic Problems*, Springer-Verlag, Berlin, 1991. (Cited on p. 11)
- [138] J. H. Halton, *On the efficiency of certain quasi-random sequences of points in evaluating multi-dimensional integrals*, Numer. Math. **2** (1960), 84–90. (Cited on p. 191)

- [139] T. Hangelbroek, F. J. Narcowich, and J. D. Ward, *Kernel approximation on manifolds I: Bounding the Lebesgue constant*, SIAM J. Math. Anal. **42** (2010), 1732–1760. (Cited on p. 90)
- [140] P. C. Hansen, *Rank-Deficient and Discrete Ill-Posed Problems*, SIAM, Philadelphia, 1998. (Cited on p. 58)
- [141] H. Harder, *Phase transitions and the three-dimensional planform of thermal convection in the Martian mantle*, J. Geophys. Res. **103** (1998), 16775–16797. (Cited on pp. 144, 145)
- [142] D. P. Hardin and E. B. Saff, *Discretizing manifolds via minimum energy points*, Not. AMS **51** (2004), 1186–1194. (Cited on p. 196)
- [143] R. L. Hardy, *Multiquadric equations of topography and other irregular surfaces*, J. Geophy. Res. **76** (1971), 1905–1915. (Cited on pp. ix, 39, 46)
- [144] J. R. Herring, S. A. Orszag, R. H. Kraichnan, and D. G. Fox, *Decay of two-dimensional homogeneous turbulence*, J. Fluid Mech. **66** (1974), 417–444. (Cited on p. 32)
- [145] J. S. Hesthaven, S. Gottlieb, and D. Gottlieb, *Spectral Methods for Time-Dependent Problems*, Cambridge Monographs on Applied and Computational Mathematics, vol. 21, Cambridge University Press, Cambridge, UK, 2007. (Cited on p. 153)
- [146] Y. C. Hon and R. Schaback, *On unsymmetric collocation by radial basis functions*, Appl. Math. Comput. **119** (2001), 177–186. (Cited on p. 94)
- [147] Y. C. Hon, R. Schaback, and X. Zhou, *An adaptive greedy algorithm for solving large RBF collocation problems*, Numer. Alg. **32** (2003), 13–25. (Cited on p. 88)
- [148] C.-S. Huang, C.-F. Leeb, and A. H.-D. Cheng, *Error estimate, optimal shape factor, and high precision computation of multiquadric collocation method*, Engrg. Anal. Bound. Elem. **31** (2007), 614–623. (Cited on p. 57)
- [149] W. Huang and D. M. Sloan, *The pseudospectral method for solving differential eigenvalue problems*, J. Comput. Phys. **111** (1994), 399–409. (Cited on p. 7)
- [150] S. Hubbert and B. Baxter, *Radial basis functions for the sphere*, in Recent Progress in Multivariate Approximation, Proceedings of the 4th International Conference, Witten-Bommerholz, Germany (W. Haussmann, K. Jetter, and M. Reimer, eds.), International Series of Numerical Mathematics 137, Birkhäuser, Basel, 2001. (Cited on p. 63)
- [151] D. Huybrechs, *On the Fourier extension of nonperiodic functions*, SIAM J. Numer. Anal. **47** (2010), 4326–4355. (Cited on p. 38)
- [152] J. M. Hyman, *Numerical methods for nonlinear differential equations*, in Nonlinear Problems: Present and Future (A. R. Bishop, D. K. Campbell, and B. Nicolaenko, eds.), North-Holland, Amsterdam, 1982, 91–107. (Cited on p. 11)
- [153] A. Iske, *On the approximation order and numerical stability of local Lagrange interpolation by polyharmonic splines*, in Modern Developments in Multivariate Approximation (W. Haussmann, K. Jetter, M. Reimer, and J. Stöckler, eds.), International Series of Numerical Mathematics 145, Birkhäuser Verlag, Basel, 2003, 153–165. (Cited on p. 115)
- [154] ———, *Multiresolution Methods in Scattered Data Modelling*, Lecture Notes in Computational Science and Engineering 37, Springer-Verlag, Heidelberg, 2004. (Cited on pp. 39, 88)
- [155] R. Jakob-Chien, J. J. Hack, and D. L. Williamson, *Spectral transform solutions to the shallow water test set*, J. Comput. Phys. **119** (1995), 164–187. (Cited on pp. 137, 138, 139, 152)

- [156] S. H. Javarani, N. Khaji, and A. Noorzad, *First kind Bessel function (J-Bessel) as radial basis function for plane dynamic analysis using dual reciprocity boundary element method*, Acta Mech. **218** (2011), 247–258. (Cited on p. 56)
- [157] A. Javed, K. Djijdeli, and J. T. Xing, *Shape adaptive RBF-FD implicit scheme for incompressible viscous Navier-Stokes equations*, Comput. Fluids **89** (2014), 38–52. (Cited on p. 126)
- [158] T. A. Johnson and V. C. Patel, *Flow past a sphere up to a Reynolds number of 300*, J. Fluid Mech. **378** (1999), 19–70. (Cited on p. 124)
- [159] D. S. Jones, *Generalized Functions*, McGraw-Hill, New York, 1966. (Cited on pp. 80, 82)
- [160] J.-H. Jung, S. Gottlieb, and S. O. Kim, *Iterative adaptive RBF methods for detection of edges in two-dimensional functions*, Appl. Numer. Math. **61** (2011), 77–91. (Cited on p. 83)
- [161] M. C. Kameyama, A. Kageyama, and T. Sato, *Multigrid-based simulation code for mantle convection in spherical shell using Yin-Yang grid*, Phys. Earth Planet. Interiors **171** (2008), 19–32. (Cited on pp. 144, 145)
- [162] E. J. Kansa, *Multiquadratics—a scattered data approximation scheme with applications to computational fluid-dynamics I: Surface approximations and parital derivative estimates*, Comput. Math. Appl. **19** (1990), 127–145. (Cited on pp. ix, 70, 91)
- [163] ———, *Multiquadratics—a scattered data approximation scheme with applications to computational fluid-dynamics II: Solutions to parabolic, hyperbolic and elliptic partial differential equations*, Comput. Math. Appl. **19** (1990), 147–161. (Cited on pp. ix, 91)
- [164] E. J. Kansa, R. C. Aldredge, and L. Ling, *Numerical simulation of two-dimensional combustion using mesh-free methods*, Engrg. Anal. Bound. Elel. **33** (2009), 940–950. (Cited on p. 92)
- [165] E. J. Kansa and R. Carlson, *Improved accuracy of multiquadric interpolation using variable shape parameters*, Comput. Math. Appl. **24** (1992), 99–120. (Cited on p. 70)
- [166] E. J. Kansa and Y. C. Hon, *Circumventing the ill-conditioning problem with multiquadric radial basis functions: Applications to elliptic partial differential equations*, Comput. Math. Appl. **39** (2000), 123–137. (Cited on p. 58)
- [167] M. Kindelan, F. Bernal, P. Gonzalez-Rodriguez, and M. Moscoso, *Application of the RBF meshless method to the solution of the radiative transport equation*, J. Comput. Phys. **229** (2010), 1897–1908. (Cited on p. 92)
- [168] L. Kocić and W. J. Whiten, *Computational investigations of low-discrepancy sequences*, ACM Trans. Math. Softw. **23** (1997), 266–294. (Cited on p. 191)
- [169] R. Krasny and L. Wang, *Fast evaluation of multiquadric RBF sums by a Cartesian treecode*, SIAM J. Sci. Comput. **33** (2011), 2341–2355. (Cited on p. 76)
- [170] J. D. Lambert, *Numerical Methods for Ordinary Differential Systems: The Initial Value Problem*, Wiley, New York, 1991. (Cited on p. 11)
- [171] E. Larsson and B. Fornberg, *A numerical study of some radial basis function based solution methods for elliptic PDEs*, Comput. Math. Appl. **46** (2003), 891–902. (Cited on pp. 48, 94, 95, 122)
- [172] ———, *Theoretical and computational aspects of multivariate interpolation with increasingly flat radial basis functions*, Comput. Math. Appl. **49** (2005), 103–130. (Cited on p. 69)
- [173] Y. J. Lee, C. A. Micchelli, and J. Yoon, *On convergence of flat multivariate interpolation by translation kernels with finite smoothness*, Constr. Approx. **40** (2014), 37–60. (Cited on p. 56)

- [174] Y. J. Lee, G. J. Yoon, and J. Yoon, *Convergence of increasingly flat radial basis interpolants to polynomial interpolants*, SIAM J. Math. Anal. **39** (2007), 537–553. (Cited on p. 56)
- [175] M. Li and T. Tang, *A compact fourth-order finite difference scheme for unsteady viscous incompressible flows*, J. Sci. Comput. **16** (2001), 29–45. (Cited on p. 17)
- [176] M. Li, T. Tang, and B. Fornberg, *A compact fourth-order finite difference scheme for the steady incompressible Navier-Stokes equations*, Int. J. Numer. Methods Fluids **20** (1995), 1137–1151. (Cited on p. 17)
- [177] M. J. Lighthill, *Fourier Analysis and Generalized Functions*, Cambridge University Press, Cambridge, UK, 1958. (Cited on pp. 80, 82)
- [178] L. Ling, *An adaptive-hybrid meshfree approximation method*, Int. J. Numer. Methods Engrg. **89** (2012), 637–657. (Cited on p. 88)
- [179] L. Ling and E. J. Kansa, *Preconditioning for radial basis functions with domain decomposition methods*, Math. Comput. Model. **40** (2004), 1413–1427. (Cited on p. 88)
- [180] L. Ling and R. Schaback, *An improved subspace selection algorithm for meshless collocation methods*, Int. J. Numer. Methods Engrg. **80** (2009), 1623–1639. (Cited on p. 88)
- [181] B. Lombard and J. Piraux, *Numerical treatment of two-dimensional interfaces for acoustic and elastic waves*, J. Comput. Phys. **195** (2004), 90–116. (Cited on p. 175)
- [182] B. Lombard, J. Piraux, C. Gelis, and J. Virieux, *Free and smooth boundaries in 2-D finite difference schemes for transient elastic waves*, Geophys. J. Int. **172** (2008), 252–261. (Cited on p. 175)
- [183] J. N. Lyness and C. B. Moler, *Numerical differentiation of analytic functions*, SIAM J. Numer. Anal. **4** (1967), 202–210. (Cited on p. 7)
- [184] W. R. Madych and S. A. Nelson, *Multivariate interpolation and conditionally positive definite functions*, Approx. Theory Appl. **4** (1988), 77–89. (Cited on p. 47)
- [185] ———, *Multivariate interpolation and conditionally positive functions II*, Math. Comput. **54** (1990), 211–230. (Cited on p. 47)
- [186] ———, *Bounds on multivariate polynomials and exponential error estimates for multiquadric interpolation*, J. Approx. Theory **70** (1992), 94–114. (Cited on pp. 47, 183)
- [187] J. C. Mairhuber, *On Haar's theorem concerning Chebyshev approximation problems having unique solutions*, Proc. Amer. Math. Soc. **7** (1956), 609–615. (Cited on p. 40)
- [188] E. Marchandise, C. Piret, and J.-F. Remacle, *CAD and mesh repair with radial basis functions*, J. Comput. Phys. **231** (2011), 2376–2387. (Cited on p. 92)
- [189] S. De Marchi, R. Schaback, and H. Wendland, *Near-optimal data-independent point locations for radial basis function interpolation*, Adv. Comput. Math. **23** (2005), 317–330. (Cited on p. 88)
- [190] B. Martin, B. Fornberg, and A. St-Cyr, *Seismic modeling with radial-basis-function-generated finite differences*, Geophysics, **80** (4) (2015), T137–T146. (Cited on p. 175)
- [191] G. S. Martin, R. Wiley, and K. J. Marfurt, *Marmousi2: An elastic upgrade for Marmousi*, The Leading Edge **25** (2006), 156–166. (Cited on p. 174)
- [192] C. P. McNally, *Divergence-free interpolation of vector fields from point values—Exact $\nabla \cdot \mathbf{B} = 0$ in numerical simulations*, Monthly Not. R. Astron. Soc. Lett. **413** (2011), L76–L80. (Cited on p. 89)

- [193] P. E. Merilees, *The pseudospectral approximation applied to the shallow water equations on a sphere*, *Atmosphere* **11** (1973), 13–20. (Cited on p. 28)
- [194] ———, *Numerical experiments with the pseudospectral method in spherical coordinates*, *Atmosphere* **12** (1974), 77–96. (Cited on p. 28)
- [195] C. A. Micchelli, *Interpolation of scattered data: Distance matrices and conditionally positive definite functions*, *Constr. Approx.* **2** (1986), 11–22. (Cited on pp. 39, 46)
- [196] D. Murai and T. Koto, *Stability and convergence of staggered Runge-Kutta schemes for semilinear wave equations*, *J. Comput. Appl. Math.* **235** (2011), 4251–4264. (Cited on p. 11)
- [197] R. Nair and C. Jablonowski, *Moving vortices on the sphere: A test case for horizontal advection problems*, *Monthly Weather Rev.* **136** (2008), 699–711. (Cited on pp. 104, 106)
- [198] R. D. Nair, S. J. Thomas, and R. D. Loft, *A discontinuous Galerkin transport scheme on the cubed-sphere*, *Monthly Weather Rev.* **133** (2005), 814–828. (Cited on p. 99)
- [199] F. J. Narcowich and J. D. Ward, *Generalized Hermite interpolation via matrix-valued conditionally positive definite functions*, *Math. Comput.* **63** (1994), 661–687. (Cited on p. 89)
- [200] M. R. Norman, R. D. Nair, and F. H. M. Semazzi, *A low communication and large time step explicit finite-volume solver for non-hydrostatic atmospheric dynamics*, *J. Comput. Phys.* **230** (2011), 1567–1584. (Cited on p. 173)
- [201] P. Orsini, H. Power, and M. Lees, *The Hermite radial basis function control volume method for multi-zones problems: A non-overlapping domain decomposition algorithm*, *Comput. Meth. Appl. Mech. Engrg.* **200** (2011), 477–493. (Cited on p. 88)
- [202] S. A. Orszag and G. S. Patterson, *Numerical simulation of three-dimensional homogeneous isotropic turbulence*, *Phys. Rev. Lett.* **28** (1972), 76–79. (Cited on p. 32)
- [203] P.-O. Persson and G. Strang, *A simple mesh generator in MATLAB*, *SIAM Rev.* **46** (2004), 329–345. (Cited on p. 198)
- [204] R. Peyret, *Spectral Methods for Incompressible Viscous Flow*, Springer-Verlag, New York, 2002. (Cited on p. 142)
- [205] C. Piret, *The orthogonal gradients method: A radial basis functions method for solving partial differential equations on arbitrary surfaces*, *J. Comput. Phys.* **231** (2012), 4662–4675. (Cited on p. 92)
- [206] C. Piret and E. Hanert, *A radial basis functions method for fractional diffusion equations*, *J. Comput. Phys.* **238** (2013), 71–81. (Cited on p. 96)
- [207] R. B. Platte, *How fast do radial basis function interpolants of analytic functions converge?*, *IMA J. Numer. Anal.* **31** (2011), 1578–1597. (Cited on p. 47)
- [208] R. B. Platte and T. A. Driscoll, *Computing eigenmodes of elliptic operators using radial basis functions*, *Comput. Math. Appl.* **48** (2004), 561–576. (Cited on pp. 95, 110)
- [209] ———, *Polynomials and potential theory for Gaussian radial basis function interpolation*, *SIAM J. Numer. Anal.* **43** (2005), 750–766. (Cited on p. 47)
- [210] ———, *Eigenvalue stability of radial basis function discretizations for time-dependent problems*, *Comput. Math. Appl.* **51** (2006), 1251–1268. (Cited on p. 99)
- [211] R. B. Platte, L. N. Trefethen, and A. B. J. Kuijlaars, *Impossibility of fast stable approximation of analytic functions from equispaced samples*, *SIAM Rev.* **53** (2011), 308–318. (Cited on p. 66)

- [212] M. J. D. Powell, *Approximation Theory and Methods*, Cambridge University Press, Cambridge, UK, 1981. (Cited on p. 179)
- [213] ———, *The theory of radial basis function approximation in 1990*, in Advances in Numerical Analysis, Vol. II: Wavelets, Subdivision Algorithms and Radial Functions (W. Light, ed.), Oxford University Press, Oxford, UK, 1992, 105–210. (Cited on pp. 39, 41, 44, 77)
- [214] ———, *Radial basis function methods for interpolation to functions of many variables*, DAMTP Report NA11, University of Cambridge, Cambridge, UK, 2001. (Cited on pp. 47, 83)
- [215] ———, *Five lectures on radial basis functions*, Technical report, Technical University of Denmark, Lyngby, 2005. (Cited on p. 46)
- [216] H. Power and V. Barraco, *A comparison analysis between unsymmetric and symmetric radial basis function collocation methods for the numerical solution of partial differential equations*, Comput. Math. Appl. **43** (2002), 551–583. (Cited on p. 94)
- [217] W. M. Putman and S.-J. Lin, *Finite-volume transport on various cubed-sphere grids*, J. Comput. Phys. **227** (2007), no. 1, 55–78. (Cited on p. 106)
- [218] J. T. Ratcliff, G. Schubert, and A. Zebib, *Steady tetrahedral and cubic patterns of spherical shell convection with temperature-dependent viscosity*, J. Geophys. Res. **101** (1996), 473–484. (Cited on p. 145)
- [219] J. A. Reeger and B. Fornberg, *Numerical quadrature over the surface of a sphere*, submitted. (Cited on p. 90)
- [220] D. St. P. Richards, *Positive definite symmetric functions on finite-dimensional spaces II*, Stat. Prob. Lett. **3** (1985), 325–329. (Cited on p. 55)
- [221] L. F. Richardson, *The approximate arithmetical solution by finite differences of physical problems involving differential equations, with an application to the stresses in a masonry dam*, Philos. Trans. R. Soc. Lond. **210** (1911), 307–357. (Cited on pp. ix, 9)
- [222] R. D. Richtmyer and K. W. Morton, *Difference Methods for Initial-Value Problems*, 2nd ed., Wiley, New York, 1967. (Cited on p. 10)
- [223] J. D. Riley, *Solving systems of linear equations with a positive definite, symmetric, but possibly ill-conditioned matrix*, Math. Tables Other Aids Comput. **9** (1955), 96–101. (Cited on p. 58)
- [224] S. Rippa, *An algorithm for selecting a good value for the parameter c in radial basis function interpolation*, Adv. Comput. Math. **11** (1999), 193–210. (Cited on p. 69)
- [225] A. J. Robert, *The integration of a low order spectral form of the primitive meteorological equations*, J. Meteor. Soc. Japan **44** (1966), 237–245. (Cited on p. 11)
- [226] J. D. Rodrigues, C. M. C. Roque, and A. J. M. Ferreira, *An improved meshless method for the static and vibration analysis of plates*, Mech. Based Design Struct. Mach. **41** (2013), 21–39. (Cited on p. 92)
- [227] C. M. C. Roque, D. Cunha, D. Shu, and A. J. M. Ferreira, *A local radial basis functions–Finite differences technique for the analysis of composite plates*, Engrg. Anal. Bound. Elem. **35** (2011), 363–374. (Cited on pp. 123, 124)
- [228] C. M. C. Roque and A. J. M. Ferreira, *Global and local collocation with radial basis functions for vibration analysis of membranes*, submitted. (Cited on pp. 92, 123)
- [229] G. Roussos and B. J. C. Baxter, *Rapid evaluation of radial basis functions*, J. Comput. Appl. Math. **180** (2005), 51–70. (Cited on p. 76)

- [230] B. Sadiq and D. Viswanath, *Finite difference weights, spectral differentiation, and superconvergence*, Math. Comput. **83** (2014), 2403–2427. (Cited on p. 6)
- [231] E. B. Saff and A. B. J. Kuijlaars, *Distributing many points on a sphere*, Math. Intelligencer **19** (1997), 5–11. (Cited on p. 196)
- [232] Y. V. S. S. Sanyasiraju and C. Satyanarayana, *Upwind strategies for local RBF scheme to solve convection dominated problems*, Eng. Anal. Bound. Elem. **48** (2014), 1–13. (Cited on p. 124)
- [233] S. A. Sarra, *Radial basis function approximation methods with extended precision floating point arithmetic*, Engrg. Anal. Bound. Elem. **35** (2011), 68–76. (Cited on p. 57)
- [234] S. A. Sarra and D. Sturgill, *A random variable shape parameter strategy for radial basis function approximation methods*, Engrg. Anal. Bound. Elem. **33** (2009), 1239–1245. (Cited on p. 51)
- [235] R. Schaback, *Comparison of radial basis function interpolants*, in Multivariate Approximation: from CAGD to Wavelets (K. Jetter and F. I. Uteras, eds.), World Scientific, Singapore, 1993, 293–305. (Cited on p. 48)
- [236] ———, *Error estimates and condition numbers for radial basis function interpolants*, Adv. Comput. Math. **3** (1995), 251–264. (Cited on p. 48)
- [237] ———, *Multivariate interpolation by polynomials and radial basis functions*, Constr. Approx. **21** (2005), 293–317. (Cited on pp. 49, 55)
- [238] ———, *The missing Wendland functions*, Adv. Comput. Math. **34** (2011), 67–81. (Cited on p. 56)
- [239] R. Schaback and Z. Wu, *Operators on radial functions*, J. Comput. Appl. Math. **73** (1996), 257–270. (Cited on p. 42)
- [240] M. Scheuerer, *An alternative procedure for selecting a good value for the parameter c in RBF-interpolation*, Adv. Comput. Math. **34** (2011), 105–126. (Cited on p. 69)
- [241] I. J. Schoenberg, *Metric spaces and completely monotone functions*, Ann. Math. **39** (1938), 811–841. (Cited on pp. ix, 39, 45, 55)
- [242] Y. Y. Shan, C. Shu, and Z. L. Lu, *Application of local MQ-DQ method to solve 3D incompressible viscous flows with curved boundary*, Comput. Mod. Engrg. Sci. **25** (2008), 99–113. (Cited on pp. 39, 124, 125)
- [243] V. Shankar, G. B. Wright, A. L. Fogelson, and R. M. Kirby, *A study of different modeling choices for simulating platlets within the immersed boundary method*, Appl. Numer. Math. **63** (2013), 58–77. (Cited on p. 92)
- [244] V. Shankar, G. B. Wright, R. M. Kirby, and A. L. Fogelson, *A radial basis function (RBF)-finite difference (FD) method for diffusion and reaction-diffusion equations on surfaces*, J. Sci. Comput. **63** (2015), 745–768. (Cited on p. 92)
- [245] Y. Shi and C. H. Chan, *Improved 3D full-wave Green's function interpolation method*, Electr. Lett. **47(3)** (2011), 174–175. (Cited on p. 56)
- [246] C. Shu, H. Ding, and K. S. Yeo, *Local radial basis function-based differential quadrature method and its application to solve two-dimensional incompressible Navier-Stokes equations*, Comput. Methods Appl. Mech. Engrg. **192** (2003), 941–954. (Cited on p. 109)
- [247] C.-W. Shu, *High order weighted essentially nonoscillatory schemes for convection dominated problems*, SIAM Rev. **51** (2009), 82–126. (Cited on p. 23)

- [248] Siraj-ul-Islam and U. Nasib, *A comparative study of meshless complex quadrature rules for highly oscillatory integrals*, Engrg. Anal. Bound. Elem. **52** (2015), 71–80. (Cited on p. 56)
- [249] W. C. Skamarock and J. B. Klemp, *A time-split nonhydrostatic atmospheric model for weather research and forecasting applications*, J. Inst. Math. Appl. **227** (2008), 3465–3485. (Cited on p. 173)
- [250] G. Song, J. Riddle, G. E. Fasshauer, and F. J. Hickernell, *Multivariate interpolation with increasingly flat radial basis functions of finite smoothness*, Adv. Comput. Math. **36** (2012), 485–501. (Cited on p. 56)
- [251] W. F. Spotz, M. A. Taylor, and P. N. Swarztrauber, *Fast shallow water equation solvers in latitude-longitude coordinates*, J. Comput. Phys. **145** (1998), 432–444. (Cited on pp. 99, 138, 155)
- [252] W. Squire and G. Trapp, *Using complex variables to estimate derivatives of real functions*, SIAM Rev. **40** (1998), 110–112. (Cited on p. 7)
- [253] A. St-Cyr, C. Jablonowski, J. M. Dennis, H. M. Tufo, and S. J. Thomas, *A comparison of two shallow-water models with nonconforming adaptive grids*, Monthly Weather Rev. **136** (2008), 1898–1922. (Cited on pp. 153, 154, 155, 157, 159)
- [254] K. Stemmer, H. Harder, and U. Hansen, *A new method to simulate convection with strongly temperature-dependent and pressure-dependent viscosity in spherical shell*, Phys. Earth Planet. Interiors **157** (2006), 223–249. (Cited on pp. 144, 145)
- [255] F. Stenger, *Numerical Methods Based on Sinc and Analytic Functions*, Springer-Verlag, Berlin, 1993. (Cited on p. 56)
- [256] ———, *Handbook of Sinc Numerical Methods*, Chapman and Hall/CRC, London, 2010. (Cited on p. 56)
- [257] D. Stevens, H. Power, M. Lees, and H. Morvan, *The use of PDE centers in the local RBF Hermitean method for 3D convective-diffusion problems*, J. Comput. Phys. **228** (2009), 4606–4624. (Cited on p. 124)
- [258] J. M. Straka, R. B. Wilhelmson, L. J. Wicker, J. R. Anderson, and K. K. Droege, *Numerical solutions of a nonlinear density current: A benchmark solution and comparisons*, Int. J. Numer. Methods Fluids **17** (1993), 1–22. (Cited on p. 170)
- [259] W. W. Symes and T. Vdovina, *Interface error analysis for numerical wave propagation*, Comput. Geosciences **13** (2009), 363–370. (Cited on p. 175)
- [260] A. E. Tarwater, *Parameter study of Hardy's multiquadric method for scattered data interpolation*, Technical Report UCRL-54670, Lawrence Livermore National Laboratory, Livermore, CA 1985. (Cited on p. 48)
- [261] M. Taylor, J. Tribbia, and M. Iskandarani, *The spectral element method for the shallow water equations on the sphere*, J. Comput. Phys. **130** (1997), 92–108. (Cited on pp. 99, 138, 140, 155)
- [262] V. Temlyakov, *Greedy Approximation*, Cambridge University Press, Cambridge, UK, 2011. (Cited on p. 88)
- [263] A. I. Tolstykh, *On using RBF-based differencing formulas for unstructured and mixed structured-unstructured grid calculations*, in Proceedings of the 16th IMACS World Congress **228** (Lausanne, 2000), 4606–4624. (Cited on p. 109)
- [264] A. I. Tolstykh and D. A. Shirobokov, *On using radial basis functions in a “finite difference mode” with applications to elasticity problems*, Comput. Mech. **33** (2003), 68–79. (Cited on p. 109)

- [265] L. N. Trefethen, *Group velocity interpretation of the stability theory of Gustafsson, Kreiss and Sundström*, J. Comput. Phys. **49** (1983), 199–217. (Cited on p. 10)
- [266] ———, *Spectral Methods in MATLAB*, SIAM, Philadelphia, 2000. (Cited on pp. 19, 34)
- [267] ———, *Approximation Theory and Approximation Practice*, SIAM, Philadelphia, 2013. (Cited on pp. 19, 47)
- [268] L. N. Trefethen and M. Embree, *Spectra and Pseudospectra: The Behavior of Nonnormal Matrices and Operators*, Princeton University Press, Princeton, NJ, 2005. (Cited on p. 19)
- [269] L. N. Trefethen, A. E. Trefethen, S. C. Reddy, and T. A. Driscoll, *Hydrodynamic stability without eigenvalues*, Science **261** (1993), 578–584. (Cited on p. 19)
- [270] A. M. Turing, *The chemical basis of morphogenesis*, Philos. Trans. R. Soc. Lond., Ser. B **237** (1952), no. 641, 37–72. (Cited on p. 92)
- [271] J. G. Verwer, *On time staggering for wave equations*, J. Sci. Comput. **33** (2007), 139–154. (Cited on p. 11)
- [272] J. G. Wang and G. R. Liu, *On the optimal shape parameter of radial basis functions used for 2-D meshless methods*, Comput. Methods Appl. Mech. Engrg. **191** (2002), 2611–2630. (Cited on p. 69)
- [273] ———, *A point interpolation meshless method based on radial basis functions*, Int. J. Numer. Methods Engrg. **54** (2002), 1623–1648. (Cited on p. 109)
- [274] Z. H. Wang, Z. Huang, W. Zhang, and G. Xi, *A meshless local radial basis function method for two-dimensional incompressible Navier-Stokes equations*, Numer. Heat Trans. Part B **67** (2015), 320–337. (Cited on p. 126)
- [275] J. A. C. Weideman and S. C. Reddy, *A MATLAB differentiation matrix suite*, <http://dip.sun.ac.za/~weideman/research/differ.html>. (Cited on pp. 7, 35)
- [276] ———, *A MATLAB differentiation matrix suite*, ACM Trans. Math. Softw. **26** (2000), 465–519. (Cited on pp. 7, 21, 35)
- [277] J. A. C. Weideman and L. N. Trefethen, *The eigenvalues of second-order spectral differentiation matrices*, SIAM J. Numer. Anal. **25** (1988), 1279–1298. (Cited on p. 76)
- [278] B. D. Welfert, *Generation of pseudospectral differentiation matrices I*, SIAM J. Numer. Anal. **34** (1997), 1640–1657. (Cited on p. 7)
- [279] H. Wendland, *Piecewise polynomial, positive definite and compactly supported radial functions of minimal degree*, Adv. Comput. Math. **4** (1995), 389–396. (Cited on p. 42)
- [280] ———, *Meshless Galerkin methods using radial basis functions*, Math. Comput. **68** (1999), 1521–1531. (Cited on p. 91)
- [281] ———, *Scattered Data Approximation*, Cambridge Monographs on Applied and Computational Mathematics 17, Cambridge University Press, Cambridge, UK, 2005. (Cited on pp. 39, 42, 45, 47, 77, 88)
- [282] J. Wertz, E. J. Kansa, and L. Ling, *The role of multiquadric shape parameters in solving elliptic partial differential equations*, Comput. Math. Appl. **51** (2006), 1335–1348. (Cited on pp. 70, 94)
- [283] D. V. Widder, *The Laplace Transform*, Princeton University Press, Princeton, NJ, 1941. (Cited on p. 45)

- [284] D. L. Williamson, J. B. Drake, J. J. Hack, R. Jakob, and P. N. Swarztrauber, *A standard test set for numerical approximations to the shallow water equations in spherical geometry*, *J. Comput. Phys.* **102** (1992), 211–224. (Cited on p. 29)
- [285] R. S. Womersley and I. H. Sloan, *How good can polynomial interpolation on the sphere be?*, *Adv. Comput. Math.* **23** (2001), 195–226. (Cited on p. 195)
- [286] ———, *Interpolation and cubature on the sphere*, 2003/2007, <http://web.maths.unsw.edu.au/~rsw/Sphere/>. (Cited on pp. 136, 195, 196)
- [287] A. S. M. Wong, Y. C. Hon, T. S. Li, S. L. Chung, and E. J. Kansa, *Multizone decomposition for simulation of time-dependent problems using the multiquadric scheme*, *Comput. Math. Appl.* **37** (1999), 23–43. (Cited on p. 92)
- [288] S. M. Wong, Y. C. Hon, and M. A. Golberg, *Compactly supported radial basis functions for shallow water equations*, *Appl. Math. Comput.* **127** (2002), 79–101. (Cited on p. 42)
- [289] G. B. Wright, *Radial basis function interpolation: Numerical and analytical developments*, Ph.D. thesis, University of Colorado, Boulder, CO, 2003. (Cited on p. 109)
- [290] G. B. Wright and K. Aiton, *A radial basis function partition of unity method for transport on the sphere*, SIAM Annual Meeting 2012: PP1 Poster Session. (Cited on p. 88)
- [291] G. B. Wright, N. Flyer, and D. A. Yuen, *A hybrid radial basis function-pseudospectral method for thermal convection in a 3D spherical shell*, *Geophys., Geochem., Geosyst.* **11** (2010), Q07003. (Cited on pp. x, 134, 142, 143, 145, 146, 147, 148)
- [292] G. B. Wright and B. Fornberg, *Scattered node compact finite difference-type formulas generated from radial basis functions*, *J. Comput. Phys.* **212** (2006), 99–123. (Cited on pp. 121, 122, 123, 124, 149)
- [293] ———, *An improved algorithm for stable computations with flat radial basis functions*, in preparation. (Cited on p. 62)
- [294] Z. Wu, *Hermite-Birkhoff interpolation of scattered data by radial basis functions*, *Approx. Theory Appl.* **8** (1992), no. 2, 1–10. (Cited on p. 94)
- [295] ———, *Multivariate compactly supported positive definite radial functions*, *Adv. Comput. Math.* **4** (1995), 283–292. (Cited on p. 42)
- [296] Z. Wu and R. Schaback, *Local error estimates for radial basis function interpolation of scattered data*, *IMA J. Numer. Anal.* **13** (1993), 13–27. (Cited on p. 47)
- [297] J. Xiao and J. P. Boyd, *Periodized radial basis functions, Part I: Theory*, *Appl. Numer. Math.* **86** (2014), 43–73. (Cited on p. 85)
- [298] K. S. Yee, *Numerical solution of initial boundary value problems involving Maxwell's equations in isotropic media*, *IEEE Trans. Antennas and Propagation* **14** (1966), 302–307. (Cited on p. 27)
- [299] L. Ying, *A kernel independent fast multipole algorithm for radial basis functions*, *J. Comput. Phys.* **213** (2006), 451–457. (Cited on p. 76)
- [300] R. Yokata, L. A. Barba, and M. G. Knepley, *A parallel O(N) algorithm for radial basis function interpolation with Gaussians*, *Comput. Math. Appl.* **199** (2010), 1793–1804. (Cited on p. 77)
- [301] J. Yoon, *Spectral approximation orders of radial basis function interpolation on the Sobolev space*, *SIAM J. Math. Anal.* **33** (2001), 946–958. (Cited on pp. 47, 183)

- [302] M. Yoshida and A. Kageyama, *Application of the Ying-Yang grid to a thermal convection of a Boussinesq fluid with infinite Prandtl number in a three-dimensional spherical shell*, Geophys. Res. Lett. **31** (2004), L12609. (Cited on p. 145)
- [303] Y. Yu and Z. Chen, *Implementation of material interface conditions in the radial point interpolation meshless method*, IEEE Trans. Antennas and Propagation **59** (2011), 2916–2923. (Cited on pp. 39, 176)
- [304] N. J. Zabusky and M. D. Kruskal, *Interactions of “solitons” in a collisionless plasma and the recurrence of initial states*, Phys. Rev. Lett. **15** (1965), 240–243. (Cited on p. 30)
- [305] S. Zhai, X. Feng, and Y. He, *A family of fourth-order and sixth-order compact difference schemes for the three-dimensional Poisson equation*, J. Sci. Comput. **54** (2013), 97–120. (Cited on p. 17)
- [306] E. Zhebel, S. Minisini, A. Kononov, and W. A. Mulder, *A comparison of continuous mass-lumped finite elements with finite differences for 3-D wave propagation*, Geophys. Prospecting **62** (2014), 1111–1125. (Cited on p. 178)
- [307] S. Zhong, A. McNamara, E. Tan, L. Moresi, and M. Gurnis, *A benchmark study on mantle convection in a 3-D spherical shell using CitcomS*, Geochem. Geophys. Geosyst. **9** (2008), Q10017. (Cited on pp. 144, 145, 146, 147)