Adolescent Sleep Hygiene Scale

Directions: Using the choices below, circle how often the following things have happened <u>during the past month</u>.

Never – has not happened
Once in Awhile – happened 20% of the time
Sometimes – happened 40% of the time
Quite Often – happened 60% of the time
Frequently, if not always – happened 80% of the time

Always – happened 100% of the time

Always (100%)									
Frequently, if not Always (80%)									
	Quite Often (60%)								
		Somet	``	(40%)					
		Once in Awhile (20%)							
	Never (0%)								
Du	During the day								
1.	I take a nap that lasts <i>more than</i> 1 hour.	N	0	S	Q	F	Α		
2.	I play or exercise for <i>more than</i> 20 minutes.	N	0	S	Q	F	Α		
Aft	After 6:00 in the evening								
3.	I have drinks with caffeine (for example: cola, root beer, iced tea, coffee).	N	0	S	Q	F	А		
4.	I take a nap.	N	0	S	Q	F	Α		
5.	I do some kind of physical activity (for example: exercise, play sports).	N	0	S	ď	F	Α		
6.	I smoke or chew tobacco.	N	0	S	Q	F	Α		
7.	I drink beer (or some other drinks with alcohol).	N	0	S	Q	F	Α		
During the 1 hour before bedtime									
8.	I do things that make me feel <i>calm or relaxed</i> (for example: taking a hot bath/shower, listening to soft music, reading).	N	0	S	Q	F	А		
9.	things happen that make me feel strong emotions (sadness, anger, excitement).	N	0	S	Q	F	Α		
10.	I am <i>very active</i> (for example: playing outside, running, wrestling).	N	0	S	ď	F	Α		
11.	I do things that make me feel very awake (for example: playing video games, watching TV, talking on the telephone).	N	0	S	Q	F	Α		
12.	I drink <i>more than</i> 4 glasses of water (or some other liquid).	N	0	S	ď	F	Α		

Always (100%)									
Frequently, if not Always (80%)									
		Quite Often (60%)							
		Sometimes (40%)							
	Once in Av								
	Never	· (0%)]							
I go to bed									
13.	and do things in my bed that keep me awake (for example: watching TV, reading).	N	0	S	α	F	А		
14.	and think about things I <i>need</i> to do.	N	0	S	Q	F	А		
15.	feeling upset.	N	0	S	Q	F	Α		
16.	and replay the day's events over and over in my mind.	N	0	S	Q	F	А		
17.	and worry about things happening at home or at school.	N	0	S	Q	F	Α		
18.	with a stomachache.	N	0	S	Q	F	Α		
19.	feeling hungry.	N	0	S	Q	F	Α		
I fall asleep									
20.	while listening to loud music.	N	0	S	Q	F	Α		
21.	while watching TV.	N	0	S	ď	F	Α		
22.	in a <i>brightly</i> lit room (for example: the overhead light is on).	N	0	S	Q	F	Α		
23.	in <i>one place</i> and then move to <i>another place</i> during the night.	N	0	S	Q	F	Α		
24.	in a room that feels too hot or too cold .	N	0	S	Q	F	Α		
I sleep									
25.	in a home where someone smokes cigarettes, cigars, or a pipe.	N	0	S	Q	F	Α		
l									
26.	get too little sleep.	N	0	S	Q	F	Α		
27.	use a bedtime routine (for example: bathing, brushing teeth, reading).	N	0	S	Q	F	Α		
28.	use my bed for things other than sleep (for example: talking on the telephone, watching TV, playing video games, doing homework).	N	0	S	ď	F	А		
29.	check my clock several times during the night.	N	0	S	Q	F	Α		

Always (100%)									
	Frequently, if not Always (80%)								
	Quite Often (60%)								
	Sometimes (40%)								
	Once in Av	while (20%)						
	Never	(0%)							
Dui	ring the school week, I								
30.	stay up <i>more than 1 hour</i> past my <i>usual</i> <u>bedtime</u> .	N	0	S	Q	F	Α		
	My <u>usual</u> school night bedtime is: am pm								
31.	"sleep in" <i>more than 1 hour</i> past my <i>usual</i> <u>wake time</u> .	N	0	S	Q	F	Α		
	My <u>usual</u> school day wake time is: am pm								
On weekends, I									
32.	stay up <i>more than 1 hour</i> past my <i>usual</i> <u>bedtime</u> .	N	0	S	Q	F	Α		
	My <u>usual</u> weekend bedtime is: am pm								
33.	"sleep in" <i>more than 1 hour</i> past my <i>usual</i> <u>wake time</u> .	N	0	S	Q	F	Α		
	My <u>usual weekend</u> wake time is: am pm								

Scoring of the Adolescent Sleep Hygiene Scale (ASHS)

- The ASHS provides 8 subscale scores and an overall sleep hygiene score.
- Higher scores indicate better success on each of these dimensions of sleep hygiene.
- Response options are scored as follows:
 - Never (6 point)
 - Once in Awhile (5 points)
 - Sometimes (4 points)
 - Quite Often (3 points)
 - o Frequently, if not Always (2 points)
 - Always (1 points)
- Reverse-code item 27

Physiological Factor (mean of 5 items)

- After 6:00 in the evening, I have drinks with caffeine (e.g., cola, root beer, iced tea, coffee)
- 10 During the 1 hour before bedtime, I am very active (e.g., playing outside, running, wrestling)
- 12 During the 1 hour before bedtime, I drink more than 4 glasses of water (or some other liquid)
- 18 I go to bed with a stomachache
- 19 I go to bed feeling hungry

Behavioral Arousal Factor (mean of 3 items)

- During the 1 hour before bedtime, I do things that make me feel very awake (e.g., playing video games, watching TV, talking on the telephone)
- 13 I go to bed and do things in my bed that keep me awake (e.g., watching TV, reading)
- I use my bed for things other than sleep (e.g., talking on the telephone, watching TV, playing video games, doing homework)

Cognitive/Emotional Factor (mean of 6 items)

- 14 I go to bed and think about things I need to do
- 16 I go to bed and replay the day's events over and over in my mind
- 29 I check my clock several times during the night
- 9 During the 1 hour before bedtime, things happen that make me feel strong emotions (e.g., sadness, anger, excitement)
- 15 I go to bed feeling upset
- 17 I go to bed and worry about things happening at home or at school

Sleep Environment Factor (mean of 5 items)

- 20 I fall asleep while listening to loud music
- 21 I fall asleep while watching TV
- 22 I fall asleep in a brightly lit room (e.g., the overhead light is on)
- 24 I fall asleep in a room that feels too hot or too cold
- 23 I fall asleep in one place and then move to another place during the night

Sleep Stability Factor (mean of 3 items)

- 30 During the school week, I stay up more than 1 hour past my usual bedtime
- 32 On weekends, I stay up more than 1 hour past my usual bedtime
- 33 On weekends, I "sleep in" more than 1 hour past my usual wake time

Daytime Sleep Factor (mean of 2 items)

- 1 During the day, I take a nap that lasts more than 1 hour
- 4 After 6:00 in the evening, I take a nap

Substances Factor (mean of 2 items)

- 6 After 6:00 in the evening, I smoke or chew tobacco
- 7 After 6:00 in the evening, I drink beer (or some other drinks with alcohol)

Bedtime Routine Factor (value for 1 item)

27 I use a bedtime routine (e.g., bathing, brushing teeth, reading)

TOTAL ASHS SCORE – (mean of all 8 subscales)

Items that are not part of a subscale or the total ASHS score but were included in the ASHS due to theoretical interest:

- During the day, I play or exercise for more than 20 minutes
- After 6:00 in the evening, I do some kind of physical activity (e.g., exercise, play sports)
- During the 1 hour before bedtime, I do things that make me feel calm/relaxed (e.g., taking a hot bath/shower, listening to soft music, reading)*
- I sleep in a home where someone smokes cigarettes, cigars or a pipes
- I get too little sleep
- During the school week, I "sleep in" more than 1 hour past my usual wake time